





BASE MK3 STAINLESS STEEL BOWL SINK

### Kitchen

### **CABINETRY**

- + Laminate post formed edge bench top
- + Laminate soft close doors (builder's range) with white melamine interior and shelving
- + Carpentry made pantry including 4 melamine shelves
- + 4 drawer set on metal runners with cutlery tray
- + Dishwasher provision includes cold water point and single power point

### **APPLIANCES**

- + Westinghouse WVE615 multifunction fan-forced electric oven in white glass or stainless steel
- Westinghouse WHC644SA ceramic glass cooktop in stainless steel
- + Chef CS602S (unbadged) stainless steel finished canopy rangehood

### **SINK AND TAPWARE**

- + Base MK3 stainless steel 1 ¾ bowl sink
- + Ivy Slimline chrome flick mixer

### **SPLASHBACK**

+ Ceramic title splashback (builder's range) approx. 700mm in height above benchtop





## Bathrooms, ensuites and powder rooms

### **VANITIES**

- + Base ceramic white basin
- + Laminate post formed edge bench top
- + Laminate soft close doors (builder's range) with white melamine interior and shelving
- + 900mm high mirror with powder coated or anodised frame fitted to full width of vanity (builder's range)

### TAPWARE AND BATHROOM ACCESSORIES

- + Ivy Slimline chrome flick mixers (basin mounted)
- + Ivy Slimline chrome shower mixers
- Posh Solus bath outlet
- + Posh Bristol chrome rail shower with soap dish
- + Phoenix Gen X metal double towel rail
- + Phoenix Gen X metal toilet roll holder
- + Chrome plated floor wastes where required

### SHOWERS, BATHS AND TOILET SUITES

- + Base 1520mm white bath tub
- Clear, toughened glass shower screens with powder coated or anodised frames (builder's range) with sliding or pivot door as applicable
- + Posh Dominique close coupled dual flush white china toilet suite with soft close seat

### **TILING**

+ Ceramic tiles (builder's range) to floor, shower recess to a minimum of 2000mm high, 600mm high over bath and one row (up to 200mm) of skirting tiles elsewhere



BASE CERAMIC WHITE BASIN



POSH DOMINIQUE DUAL FLUSH TOILET







## Laundry

### **SINK AND TAPWARE**

- Base 43lt. stainless steel tub with white metal cabinet
- + Ivy Slimline chrome flick mixer
- + Concealed quarter turn back valve taps under tub for washing machine (hot and cold)

### **TILING**

+ Ceramic tiles (builder's range) to splashback (up to 600mm in height) above tub and washing machine provision, floor and one row (up to 200mm) of skirting tiles



## General internal inclusions

### **DOORS**

- Hume internal flush panel doors (paint grade) with white cushion door stops (where possible)
- + Gainsborough 'Ambassador' lever handles in satin or bright chrome (privacy locks to bathrooms and powder rooms)

### WINDOWS AND SLIDING DOORS

- + Aluminium windows and sliding doors with paint grade reveals (builder's range)
- + Key locks to all aluminium sliding windows and sliding doors
- + Wet areas include obscure window glazing

### **ROBES**

- Vinyl pre-finished sliding doors with coloured aluminium frame in a selection of colours from our builder's range
- + Robe space includes hanging rail and 1 top shelf (paint grade)

### **SKIRTING AND ARCHITRAVE**

- + 68mm nominal size skirting (paint grade) (builder's range)
- + 42mm nominal size architrave (paint grade) (builder's range)

### **PAINTING**

- Choice of 3 internal colours (1 x walls, 1 x ceiling/cornice, 1 x doors and all timber finishes)
- + 3 coat light base system to walls in Dulux Wash & Wear matt finish
- + 2 coat light base system to ceiling / cornice in Ceiling Flat White
- + 3 coat light base system to skirting, doors and architraves in gloss enamel



GAINSBOROUGH LEVER DOOR HANDLES



3 COAT LIGHT BASE SYSTEM





PHOTOELECTRIC SMOKE ALARMS WITH BATTERY BACK-UP



### Electrical and lighting

### **ELECTRICAL**

- Mains electricity connection to standard urban block up to 600m² including standard single phase underground power connection within 6 metres of house entry point
- Circuit breakers and Earth Leakage Devices in meter box for safety protection
- + Ample power points and light points throughout
- + 2 television points with 6 lm co-axial cable (no antenna)
- + Mains power photoelectric smoke alarms with battery back-up
- + One internal telephone point prewired
- + Provision for future fibre optic system (standard setbacks apply)

### **INTERNAL LIGHTS**

- + LED down light fittings throughout the home
- + 1200mm single fluorescent light with diffuser to garage (builder's range)

### **EXTERNAL LIGHTS**

- + LED down light fittings to under eaves
- Where no eaves are specified, weather proof wall-mounted bunker light fittings (builder's range)

## General external inclusions

### SITE WORKS AND FOUNDATION

- + House set out by surveyor
- Fixed price site works excluding rock (subject to results of contour survey and soil test)
- + N2 wind category construction
- Engineer designed concrete slab to suit 'S' class soil classification on a level site (concrete piering not included)

### 2 STOREY / SPLIT LEVEL

- Timber bearer and joist construction including particle board flooring
- Cover grade internal stairs with paint grade handrails and balustrade

## General external inclusions (cont.)

### TERMITE PROTECTION

- Perimeter of house protected by vertical exposed concrete slab edge
- Penetrations through the slab are protected by physical barriers

### **TIMBER FRAMING**

- 70mm external and internal machine graded and seasoned pine wall studs all at 450mm centres for extra wall strength
- 2400mm ceiling height
- + Engineered design trusses spaced at 600mm centres

### FASCIA / GUTTER

- + Coloured metal fascia (builder's range)
- + Coloured metal gutter (builder's range)

#### **ROOF**

- + Monier Elabana concrete roof tiles (builder's range)
- + 21.5 degree roof pitch on concrete roof tiles, 20 degree roof pitch on Colorbond roofs (design specific)

### **BRICK WORK**

- + Off white mortar and light iron brick joints
- + Face bricks (builder's range)

### **GARAGE DOORS**

- Sectional overhead garage door (where shown) wide selection of profiles and colours available from our builders range
- + Auto door with remote control unit with 3 handsets

### **PAINTING**

- + Choice of 3 external colours (1 x eaves, 1 x gables, 1 x feature trims and entry doors)
- + Light base gloss enamel to external doors
- + Light base acrylic low sheen to gable and infill panels
- + Light base acrylic low sheen feature trim
- + Light base acrylic low sheen to eaves

#### FRONT DOOR


- + Hume solid core panel door (paint grade) (builder's range)
- Gainsborough 'Ambassador' lever entrance lock in satin or bright chrome


### **ENERGY CONSIDERATIONS**

- + R 3.0 ceiling insulation including external roof areas (except garage)
- + R1.5 external wall insulation excluding garage (NSW only)
- + Sarking to external walls
- + Sarking to entire roof (concrete roof tiles only)
- + Roof ventilator/s (design specific)
- + Energy efficient lighting
- + 450mm/600mm wide eaves lined with painted F/C sheets (design specific)

### PLUMBING AND DRAINAGE

- Mains water connection to standard urban block up to 600m<sup>2</sup> including standard 20mm connection to town water supply within 6 metres of house entry point
- + Storm water connection to standard urban block up to 600m<sup>2</sup> including standard connection at front of lot
- + Town sewer connection to standard urban block up to 600m<sup>2</sup> including standard connection at front of lot
- + 2 external garden taps
- + Instantaneous gas hot water system (NSW only)
- + Electric hot water system (QLD only)
- + Painted round PVC down pipes (charged system)
- + 3000lt above ground slimline Colorbond water tank to comply with BASIX (NSW only)







### Peace of mind

At Perry Homes, we know the process of building a new home can seem daunting at times. We've forged a strong reputation as an industry leader, designing and building homes to the highest Australian standards. We understand that your home is your greatest asset, so you can rest assured it will be in exceptionally good hands every step of the way.

### PRE-CONSTRUCTION

- + Contour feature survey carried out by a surveyor (vacant land)
- + Site investigation and foundation design by Engineer
- + Preparation of plans and specifications
- + Standard building application fees and inspections (excluding bonds)
- + Warranty and construction insurance
- + Assistance is provided to complete your colour selection

### **AFTER SALES CARE**

- + Defects liability period as determined by the HIA
- + 20 year structural guarantee (conditions apply)

### Note:

Excavation: No allowance for removal of soil and/or vegetation from site

Termite Inspection barrier of vertical exposed edge slab requires the owner to
have exposed edge inspected by an authorized pest controller on a regular basis.

Service Excavations: Down to 1.5m deep are included. Any costs associated with
excavations deeper than 1.5m will be in addition to these standard inclusions.



# Your trusted name in building excellence



There are more than fifty single, two storey and split level designs in the Perry Homes portfolio, with most offering a number of variations to cater for individual needs. These plans have been designed to suit flat and sloping land, varying from small lots through to traditional and acreage blocks. We are also happy to work with you on a custom design, to ensure your home is exactly what you want.











Perry Homes (Aust.) Pty Ltd 49 Minjungbal Drive, Tweed Heads South, NSW 2486 Phone: (07) 5569 9400 Fax: (07) 5523 2884 perryhomes.com.au





